

#### DE-FE0032004



Malta Inc.



PI: Benjamin R. Bollinger, Ph.D.



**Sub-Recipients: Duke Energy Corporation** 



Location: Cambridge, MA (TBD project site within Duke territory)

**DOE**: \$250,000

**Non-DOE:** \$62,500

Total: \$312,500

### **Objectives**

- This project evaluates how a Malta Pumped Heat Energy Storage (PHES) plant can be integrated with a retiring coal plant to achieve benefits to the plant owner and local community.
- Metrics include
  - Local economic benefit, including jobs saved, local taxes, secondary economic activity preserved
  - Improved economics & reduced emissions of remaining fossil thermal units via improved dispatching with PHES
  - Improved PHES economics via possible re-use of certain retiring fossil-unit equipment

### Relevance and Outcomes/Impact

Repurposing retiring coal plants into Pumped Heat Energy Storage plants allows thermal power plant technologies and communities to be active participants in the current and coming energy transition.

DE-FE0032004




#### **Project Overview:**

Step 1: Evaluate integration options, benefits

RETIRING COAL PLANT



STANDALONE MALTA PHES



Step 2: Advance design of integration

Step 3: Outline any remaining technology or execution gaps

#### In a nutshell:



**Long-Duration** 

8 - 24+ Hours



**Grid-Scale** 

10 - 100 MW+



**Low-Cost** 

<\$100/kWh

#### DE-FE0032004



1) How can NETL help transition coal assets as they retire over the next 10-15 years?

#### **NETL Support**

Coal-unit retirements driven by changing economics leaves potential value on the table

- Skilled workforce
- Community relationships
- T&D infrastructure and electrical interconnect
- Equipment value
- Site & permitting value

Projects like this that transition coal assets to energy storage plants have multiple benefits

- Uses same skilled workforce
- Keeps sites economically active
- Leverages value of infrastructure
- Provides same grid stability benefits (e.g. rotational inertia) as the retiring traditional thermal generation
- 2) What does NETL need to consider in regard to a low-carbon future?
  - Energy storage technologies that provide the same grid reliability features (e.g. rotational inertia) as retiring steam plants will enable firm/ load-following renewables & greater renewables penetration

DE-FE0032004



# Thank You



赛



**Long-Duration**8 - 24+ Hours

10 - 100 MW+

**Grid-Scale** 

Low-Cost <\$100/kWh



Contact Information:
Benjamin R. Bollinger, Ph.D.
Malta Inc.
benjamin.bollinger@maltainc.com